



Model: F1500-A1530

(The new machine for cutting thin metal cutting---Fiber laser tube IPG 1500W from German)



Introduction

> The technology of the new fiber machine 1500-A1530 is based the traditional technology of WORLDCUT CO2 machine. WORLDCUT has sold a lot of CO2 laser machine in all over the world until now and the quality and technology has been proved by the market! Combined with the new technologies developed by WORLDCUT, the fiber machine is more stable and reliable, higher precision, easier to be maintained and lower in running cost!

➤Traditional machine structure, stable and reliable

➢Ball screw+ servo driving system, high precision

Easier to be maintained and to operate

Super-low running cost: IPG 1500W fiber laser tube and only 10KVA/hour for electricity.

> Brand-new numerical control system has the powerful functions such as automatically-setting "start-point", flying cutting and so on...

➢ High speed: corning acceleration up to 0.8G.

WORLDCUT



A1530 Main Features

 \Rightarrow Fiber Laser tube (IPG 1500W)

- ⇔Mitsubishi Servo System
- ⇒High precision ball-screw system
- \Rightarrow Professional cutting system of Cypcut
- ⇒Professional cutting head from china
- ⇔Industrial chiller

F1500-A1530 Cutting speed and Cutting thickness

Material	Cutting thickness	Cutting speed (mm/min)	Max cutting thickness	Assistant gas
	1mm	18000	6mm	Nitrogen
Stainless steel	2mm	8000		
	3mm	4000		
	4mm	2500		
	1mm	18000	10mm	Oxygen
Mild steel	2mm	9000		
	3mm	45 00		
	4mm	3000		
	5mm	2000		
	6mm	1800		
	8mm	1400		
	10	1		
Aluminum	1mm	15000		Nitrogen
	2mm	7000	4mm	
	3mm	4500]	
	4mm	2500		

The cutting speed and thickness will vary

because of the different material feature and working condition!

The main configuration of the machine F1500-A1530

ltems	Specification	Quan tity	Remark	
Working area	X-axis: 1500mm/y -axis: 3000mm/z -axis	One	Open structure	
	60mm	set		
Fiber laser	1500W	One	IPG	
	150000		IFU	





Gear and rack	Y-axis and X -axis	One S et	Imported from Germany
Lens			Imported from USA
servo system	Mitsubishi	Two sets	Japan
following cutting system	Cypcut	One set	China
Cutting head		One set	China
Chiller		One set	Chinese Industrial chiller
Computer		One set	
exhausted -air system		One set	
Entire machine size	width:2250mm;Length:4700mm; height:1400mm (not including chiller)		Length X width X height
power supply requirement	380V±10%/30A		air-break switch >30A



TOLL FREE - 800 SIGNTRADE | DUBAI - U.A.E. TEL : +971 4 2681828 | Fax : +971 4 2694328 | E-mail : info@signtrade.comUAE * KSA * QATAR * OMAN * BAHRAIN * KUWAIT * PAKISTAN * KENYA