HP Latex 700 W Printer



Win high-value jobs, equipped with white ink, and sharpen your sustainability edge with HP Latex



Access white and produce the highest value jobs

- Extend your portfolio into high-margin stickers and window graphics with the whitest white.
- Print white without complexity—automatic recirculation and printhead cleaning reduce manual purging.
- Deliver vivid colours at high speed, get striking contrast using pure blacks, and expect sharp 4-
- Choose from a wide application range covering banners/textiles/poster paper, canvas, wallpaper, and vinyl.

Beat your deadlines with smart, efficient printing

- Fast saturated colour up to 31 m²/hr outdoor, 21 m²/hr indoor.²
- Control print operations virtually anytime, anywhere with HP PrintOS tools, and grow with HP Learn trainings.
- Work fast processing reprints and multi-copy jobs with a smart front panel, and store up to
- Enjoy fast and easy spindle-less loading and media access for rolls up to 55 kg.

Sharpen your sustainability edge with HP Latex

- Innovative water-based HP Latex Inks—no $\ensuremath{\mathsf{HAPs}}^3,$ no required hazard warning labels, and odorless prints.4
- Zero landfill—local outer carton recycling, free take-back of inner ink bag/printhead, HP Planet Partners 5
- Choose from a wide range of compatible ecoconscious media.6
- HP Latex prints are recyclable, returnable, or non-hazardous and safe for disposal.⁷

For more information, please visit http://www.hp.com/go/latex700series

Join the community, find tools, and talk to experts. Visit the HP Latex Knowledge Center at https://hplatexknowledgecenter.com/

Dynamic security enabled printer. Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future. More at: http://www.hp.com/go/learnaboutsupplies

¹ Whitest white based on ISO/DIS 23498 compared to competitive alternatives using solvent and UV technologies under \$50,000 USD as of May, 2020. Test performed on black opaque self-adhesive vinyl (L*.4.16 – a:0,48-b:2,34) with 160% UF printmode using HP 832 1-liter White Latex Ink Cartridge. Visual opacity = 91%.

² Outdoor mode (Banner) 4-pass, 100%. Indoor mode (SAV) 6-pass, 100%. Based on internal HP testing in September 2020 on Avery 3001. Print speed may vary due to the adaptive printing mechanism to avoid image

quality defects.

3 HP Latex Inks were tested for Hazardous Air Pollutants, as defined in the Clean Air Act, per U.S. Environmental Protection Agency Method 311 (testing conducted in 2013) and none were detected.

⁴ There is a broad set of media with very different odor profiles. Some of the media can affect the odor performance of the final print.

⁵ The ink cartridge HP Eco-Carton outer carton is 100% recydable through local cardboard/paper programs. Inner materials including the ink bag are 55% recydable and can be returned free of charge to the HP Planet Partners program for reprocessing of plastic parts. Zero landfill. For ink bag and printhead take back, visit http://www.hp.com/recyde to see how to participate and for HP Planet Partners program availability; program may not be available in your jurisdiction. Where this program is not available, and for other consumables not included in the program, consult your local waste authorities on appropriate disposal. See http://www.hp.com/go/mediasolutionslocator

⁷ Most HP large format paper-based printing materials can be recycled through commonly available recycling programs, or according to region-specific practices. Some HP media are eligible for return through the free, convenient HP Large Format Media take-back program. Programs may not exist in your area. See http://www.HPLFMedia.com/hp/ecosolutions for details. HP large format printing materials, both unprinted and printed with Original HP Latex Inks, are non-hazardous and safe for disposal. Contact your local waste management authority for local area-specific instructions.

Technical specifications

Print

Printing mode

105 m²/hr - Max Speed (1-pass)
31 m²/hr - High Speed (4-pass)
11 m²/hr - Froduction Fast (6-pass)
17 m²/hr - Production Fast (6-pass)
17 m²/hr - Production Quality, Textiles and Backlits (8-pass)
17 m²/hr - High Saturation (12-pass)
12 m²/hr - High Saturation Backlits and Textiles (14-pass)
17 m²/hr - White Spot (60%)
9 m²/hr - White Overflood (60%)
3 m²/hr - White Underflood (100%)
2 m²/hr - 3 Layers Day & Night (160%)

Water-based HP Latex Inks Ink types

Ink cartridges 9 (black, cyan, light cyan, light magenta, magenta, yellow, white, HP Latex Optimizer, HP Overcoat)

Cartridge size

Printheads 10 (2 cyan/black, 2 magenta/yellow, 2 light cyan/light magenta, 2 white, 1 HP Latex Optimizer, 1 HP Overcoat)

Long-term print-to-print repeatability

Media Handling

Roll feed, take-up reel, wiper roller 3 , automatic horizontal cutter (for vinyl, banner and canvas 4 , paper-based media, and film)

Media types $Banners, self-adhesive\ vinyls, films, fabrics, papers, wall\ coverings, canvas, synthetics, mesh, textiles ^5$

254 to 1625-mm rolls (580 to 1625-mm rolls with full support) Roll size

Roll diameter 250 mm Thickness Up to 0.5 mm

Applications Banners; Displays; Exhibition and event graphics; Exterior signage; Indoor posters; Interior decoration; Light boxes - film; Light boxes - paper; Murals; POP/POS; Posters; Textile; Vehicle graphics; Window graphics; Stickers

Connectivity

Interfaces Gigabit Ethernet (1000Base-T)

Dimensions ($w \times d \times h$)

Printe 2583 x 852 x 1402 mm Shipping 2800 x 1130 x 1270 mm

Operating area 2793 x 2100 mm

Weight

Printer 267 kg

Shipping 368 ka What's in the box

HP Latex 700 W Printer, printheads, maintenance cartridge, printer stand, take-up reel, user maintenance kit, edge holders, quick reference guide, setup poster, documentation software, power cords, air purgers, 2-in spinde adaptor.

Environmental ranges

Operating temperature 15 to 30°0 20 to 80% RH (non-condensing) Operating humidity

Acoustics

Sound pressure 60 dB(A) (operating), 38 dB(A) (idle), <20 dB(A) (sleep) Sound power 7.8 B(A) (operating), 5.5 B(A) (idle), <3.5 B(A) (sleep)

Power

Consumption 1.5-2.6 kW (5 kW peak) (printing), 95 W (ready) Input voltage (auto ranging) 200-240 V (\pm 10%) two wires and PE; 50/60 Hz (\pm 3 Hz); two power cords; 13 A max printer power cord; 9 A max curing power cord Requirements

Certification

Safety IEC 60950-1+A1+A2 compliant; IEC 62368-1 compliant; USA and Canada (CSA listed); EU (LVD, EN 60950-1 and EN 62368-1 compliant); Russia, Belarus, and Kazakhstan (EAC); China (CCC) Electromagnetic

Compliant with Class A requirements, including: USA (FCC rules), Canada (ICES), EU (EMC Directive), Australia and New Zealand (RCM), Japan (VCQ), Korea (KCC), China (CCC) ENERGY STAR*; RoHS (WEEE, EU, EAEU, China, Korea, India, Ukraine, Turkey); REACH; EPEAT Silver; OSHA; CE marking compliant; Meets AgBB criteria; French VOC A+; Greenguard Gold; UL Ecologo; ZDHC - Level 1 Environmenta

Warranty One-year limited hardware warranty

Ordering information

Product

Y0U23A HP Latex 700 W Printer

Accessories

21V10A 7HR16A 7HR18A 7HR19A T7U73A HP Latex 700/800 User Maintenance Kit HP Latex 700/800 Textile Kit Accessory HP Latex 700/800 hik Collector Foams Kit HP Latex 700/800 Media Loading Accessory HP Latex 500/700/800 Wiper Roller

Original HP printing supplies

HP 336 White Latex Printhead
HP 336 Optimizer Latex Printhead
HP 336 Optimizer Latex Printhead
HP 337 - Iller White Latex Ik Cartridge
HP 332 1- Iller White Latex Ik Cartridge
HP 332 1- Iller White Latex Ik Cartridge
HP 332 1- Iller Cyan Latex Ik Cartridge
HP 332 1- Iller Cyan Latex Ik Cartridge
HP 332 1- Iller Fellow Latex Ik Cartridge
HP 332 1- Iller Light Wagenta Latex Ik Cartridge
HP 332 1- Iller Light Wagenta Latex Ik Cartridge
HP 332 1- Iller Cym Latex Ik Cartridge
HP 332 1- Iller Cym Latex Ik Cartridge
HP 332 1- Iller Cym Latex Ik Cartridge
HP 332 1- Iller Poptimizer Latex Ik Cartridge
HP 332 1- Iller Cyan Latex Printhead
HP 336 Magenta Yellow Latex Printhead
HP 336 Overcoat Latex Printhead
HP 336 Overcoat Latex Printhead 4UU93A 4UU94A 4UU96A 4UV29A 4UV75A 4UV76A 4UV77A 4UV78A 4UV79A 4UV81A 4UV81A 4UV82A 4UV83A 4UV95A 4UV97A 4UV98A

Original HP large format printing materials

HP PVC-free Wallpaper (UL GREENGUARD GOLD Certified⁶, FSC^a certified⁷, meets AgBB criteria⁸) HP Photo-realistic Poster Paper

- HP Proto-realistic Poster i aper HP Premium Satin Canvas HP Prime Matte Air GP (REACH compliant⁹) HP Premium Removable Gloss Adhesive Vinyl (REACH compliant⁹)

For the entire HP Large Format Printing Materials portfolio, please see HPLFMedia.com.

Service and Support

U13DCE HP 2 year Next Business Day with Defective Media Retention
U13DHE HP 3 year Next Business Day with Defective Media Retention
U13DMFE HP 1 year Post Warranty Next Business Day with Defective Media Retention
U13DSPE HP 2 year Post Warranty Next Business Day with Defective Media Retention

ECO highlights

- Inks do not use reactive monomer chemistry, are ozone-free, and meet the ZDHC standard ¹ Can win new business with odorless prints, UL ECOLOGO*/UL GREENGUARD Gold Certified ink, and more ² Eco-Carton replaces plastic cartidge with 80% reduction in plastic, achieves 66% CO2e reduction ³ Zero landfill—local outer carton recycling, free take-back inner ink bag via HP Planet Partners ⁴

Please recycle printing hardware and eligible printing supplies and prints. Find out how at our website: http://www.hp.com/ecosolutions

¹ See http://www.roadmaptozero.com. Printing with HP Latex Inks avoids the problematic reactive monor associated with UV printing. Acrylate monomers present in uncured UV inks and UV-gel inks can damage: ²⁷ There is a broad set of media with very different odor profiles. Some of the media can affect the odor performance of the final print. For certifications, see http://www.ul.com/EL and http://www.ul.com/og.

² There is a broad set of media with very different odor profiles. Some of the media can affect the odor performance of the final print. For certifications, see http://www.ul.com/Eq. and http://www.ll.com/Eq. and http://www.htm.anual.manufacturing savings of 291 tons and transport savings of 8 tons. Equivalent to 1,194,028 km (741,935 miles) driven by an average passenger vehicle or over 38 million smartphones charged.

⁴ The ink cartridge HP Eco-Carton outer carton is 100% recyclable through local cardboard/paper programs. Inner materials including the ink bag are 55% recyclable and can be returned free of charge to the HP Planet Partners program for reprocessing of plastic parts. Zero landfill. For take-back of ink bag/printhead/prints, visit http://www.htp.com/recycle to see how to participate and for HP Planet Partners program availability; program may not be available in your jurisdiction.

 1 Print speeds may vary due to the adaptive printing mechanism to avoid image quality defects. 2 The colour variation between printed jobs has been measured at 12 pass mode on vinyl media following best practices for tiling layouts and within this limit: 95th percentile of pairwise colour differences (95% of colours) ≤ 1 dE2000. Reflective measurements on a 943 colour target under GE standard Illuminant D50, and according to the standard GEB2000 as per GE Draft Standards D5 014–6/E2012. 5% of colours may experience variations above 1 dE2000. Backlit substrates measured in transmission mode may yield different results.

dt. 2000. Backlit substrates measured in transmission mode may yield different results.

*Wiper roller is an optional accessory.

*Automatic horizontal cutter is for use with thinner banners and canvas only. It is recommended to perform a test.

**Duc GREENGUARD GOLD Certification to U. 2818 demonstrates that products are certified to UL's GREENGUARD standards for low chemical emissions into indoor air during product usage. For more information, visit http://www.u.com/gor intro/www.greenguard.org.

**Trademark license code FSC-C115319.

Trademark license code FSC-C115319 -
With IP Latex links, prints meet AgBB criteria for health-related evaluation of VOC emissions. See
http://unweltbundes.amt.de/en/topics/health/commissions-working-groups/committee-for-health-relatedevaluation-of-bollding.

This product does not contain substances listed as SVHC (155) per Annex XIV of the EU REACH directive published
as of June 16, 2014 in concentrations exceeding 0.1% To determine the status of SVHC in HP products, see the HP
REACH Declaration published at HP Printing Products and Consumable Supplies.





















