# **HP Latex 800 Printer**



Grow with high-value jobs and high-productivity printing—and sharpen vour sustainability edge



### Win the high-value jobs you are after

- Deliver vivid colours at high speed and get striking contrast using pure blacks.
- Expect reliable, sharp 4-point text with HP Latex printheads featuring 10-picoliter ink drops.
- Choose from a wide application range covering banners/textiles/poster paper, canvas, wallpaper, and vinyl.

### Robust, smart, and productive printing

- Drive high productivity with saturated colour at speeds up to 36 m<sup>2</sup>/hr outdoor<sup>1</sup>, easy spindleless loading.
- Control print operations virtually anytime, anywhere with HP PrintOS tools, and grow with HP Learn trainings.
- Work fast processing reprints and multi-copy jobs with a smart front panel, and store up to 100 jobs.
- Help reduce running costs with cost-effective 3liter HP ink cartridges, changed while the printer runs.

### Sharpen your sustainability edge with HP Latex

- Innovative water-based HP Latex Inks—no HAPs<sup>2</sup>, no required hazard warning labels, and odorless prints.3
- Local HP Eco-Carton outer carton recycling.4
- Choose from a wide range of compatible ecoconscious media.5
- HP Latex prints are recyclable, returnable, or non-hazardous and safe for disposal.6

## For more information, please visit http://www.hp.com/go/latex800series

Join the community, find tools, and talk to experts. Visit the HP Latex Knowledge Center at https://hplatexknowledgecenter.com/

Dynamic security enabled printer. Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future. More at: http://www.hp.com/go/learnaboutsupplies

<sup>&</sup>lt;sup>1</sup> Outdoor mode (Banner) 4-pass, 100%. Based on internal HP testing in September 2020 on Avery 3001. Print speed may vary due to the adaptive printing mechanism to avoid image quality defects.

<sup>2</sup> HP Latex lnks were tested for Hazardous Air Pollutants, as defined in the Clean Air Act, per U.S. Environmental Protection Agency Method 311 (testing conducted in 2013) and none were detected.

<sup>3</sup> There is a broad set of media with very different odor profiles. Some of the media can affect the odor performance of the final print.

<sup>4</sup> The ink cartridge outer carton is 100% recyclable through local cardboard/paper programs.

See http://www.hp.com/go/mediasolutionslocator

<sup>6</sup> Most HP large format paper-based printing materials can be recycled through commonly available recycling programs, or according to region-specific practices. Some HP media are eligible for return through the free, convenient HP Large Format Media take-back program. Programs may not exist in your area. See http://www.HPLFMedia.com/hp/ecosolutions for details. HP large format printing materials, both unprinted and printed with Original HP Latex Inks, are non-hazardous and safe for disposal. Contact your local waste management authority for local area-specific instructions.

# **Technical specifications**

#### Print

Printing modes

122 m²/hr - Max Speed (1-pass) 36 m²/hr - Fligh Speed (4-pass) 5 m²/hr - Production Fast (6-pass) 20 m²/hr - Production Quality, Textiles and Backlits (8-pass) 17 m²/hr - High Saturation (12-pass) 14 m²/hr - High Saturation Backlits and Textiles (14-pass)

Print resolution Up to 1200 x 1200 dpi Water-based HP Latex Inks Ink types

Ink cartridges  $8 \ (black, cyan, \ light \ cyan, \ light \ magenta, \ magenta, \ yellow, \ HP \ Latex \ Optimizer, \ HP \ Overcoat)$ 

Cartridge size

8 (2 cyan/black, 2 magenta/yellow, 2 light cyan/light magenta, 1 HP Latex Optimizer, 1 HP Overcoat)

Long-term print-to-print repeatability

95% of colours ≤ 1.5 dE2000<sup>2</sup>

Media

Handling Roll feed, take-up reel, wiper roller<sup>3</sup>, automatic horizontal cutter (for vinyl, banner and canvas<sup>4</sup>, paper-based media and film)

Banners, self-adhesive vinyls, films, fabrics, papers, wall coverings, canvas, synthetics, mesh, textiles Media types

Roll size 254 to 1625-mm rolls (580 to 1625-mm rolls with full support)

Roll weight 55 ka 250 mm Up to 0.5 mm Thickness

Banners; Displays; Exhibition and event graphics; Exterior signage; Indoor posters; Interior decoration; Light boxes - film; Light boxes - paper; Murals; POP/POS; Posters; Textile; Vehicle graphics; Window graphics; Stickers Applications

Connectivity

Gigabit Ethernet (1000Base-T) Interfaces

Dimensions (w x d x h)

2583 x 866 x 1402 mm Shipping 2753 x 1100 x 1666 mm 2793 x 2100 mm

Weight

Printer Shipping

What's in the box

HP Latex 800 Printer, printheads, maintenance cartridge, printer stand, take-up reel, user maintenance kit, edge holders, quick reference guide, setup poster, documentation software, power cords, air purgers, 2-in spindle

Environmental ranges

Operating temperature 15 to 30°C Operating humidity 20 to 80% RH (non-condensing)

Acoustics

Sound pressure 60 dB(A) (operating), 38 dB(A) (idle), <20 dB(A) (sleep) Sound power 7.8 B(A) (operating), 5.5 B(A) (idle), <3.5 B(A) (sleep)

Power

Consumption 1.8-2.8 kW (5 kW peak) (printing), 105 W (ready) Input voltage (auto ranging) 200-240 V (±10%) two wires and PE; 50/60 Hz (±3 Hz); two power cords; 16 A max Requirements

Certification

Safety IEC 60950-1+A1+A2 compliant; IEC 62368-1 compliant; USA and Canada (CSA listed); EU (LVD, EN 60950-1 and EN 62368-1 compliant); Russia, Belarus, and Kazakhstan (EAC); China (CCC) Electromagnetic

Environmental ENERGY STAR\*; RoHS (WEEE, EU, EAEU, China, Korea, India, Ukraine, Turkey); REACH; EPEAT Silver; OSHA; CE marking compliant; Meets AgBB criteria; French VOC A+; Greenguard Gold; UL Ecologo; ZDHC - Level 1

One-year limited hardware warranty Warranty

# Ordering information

#### Product

Y0U21A HP Latex 800 Printer

### Accessories

21V10A 7HR16A 7HR18A 7HR19A T7U73A HP Latex 700/800 User Maintenance Kit HP Latex 700/800 Textile Kit Accessory HP Latex 700/800 hik Collector Foams Kit HP Latex 700/800 Media Loading Accessory HP Latex 500/700/800 Wiper Roller

### Original HP printing supplies

HP 836 Optimizer Latex Printhead
HP 836 Latex Maintenance Cartridge
HP 873 - Ilitex Black Latex Ink Cartridge
HP 873 - Iliter Black Latex Ink Cartridge
HP 873 - Iliter Cyan Latex Ink Cartridge
HP 873 - Iliter Vallow Latex Ink Cartridge
HP 873 - Iliter Vallow Latex Ink Cartridge
HP 873 - Iliter Light Vayan Latex Ink Cartridge
HP 873 - Iliter Light Magenta Latex Ink Cartridge
HP 873 - Iliter Optimizer Latex Ink Cartridge
HP 873 - Iliter Optimizer Latex Ink Cartridge
HP 873 - Iliter Optimizer Latex Ink Cartridge
HP 873 6 Black/Cyan Latex Printhead
HP 836 Magenta Yellow Latex Printhead
HP 836 Optional Cyan Light Magenta Latex Printhead
HP 836 Overcoat Latex NF Cartridge 4UU94A 4UU94A 4UU96A 4UV84A 4UV85A 4UV86A 4UV87A 4UV88A 4UV89A 4UV90A 4UV91A 4UV95A 4UV96A 4UV97A 4UV98A

### Original HP large format printing materials

HP PVC-free Wallpaper (UL GREENGUARD GOLD Certified<sup>6</sup>, FSC<sup>a</sup> certified<sup>7</sup>, meets AgBB criteria<sup>a</sup>)
HP Photo-realistic Poster Paper
HP Premium Satin Carwas
HP Prime Matte Air GP (REACH compliant<sup>9</sup>)
HP Premium Removable Gloss Adhesive Vinyl (REACH compliant<sup>9</sup>)

For the entire HP Large Format Printing Materials portfolio, please see HPLFMedia.com

### Service and Support

# ECO highlights

- inks do not use reactive monomer chemistry, are ozone-free, and meet the ZDHC standard  $^{\rm I}$  Can win new business with odorless prints, UL ECOLOGO '/UL GREENGUARD Gold certified ink, and more  $^{\rm Z}$  High-volume 3-liter HP Eco-Carton ink cartridges—carton-based design significantly reduces plastic

Please recycle printing hardware and eligible printing supplies and prints. Find out how at our website osolutions

<sup>1</sup> See http://www.roadmaptozero.com. Printing with HP Latex Inks avoids the problematic reactive monomers associated with UP printing. Acrylate monomers present in uncured UV inks and UV-gel inks can damage skin.

There is a broad set of media with very different odor profiles. Some of the media can affect the odor performance of the final print. For certifications, see http://www.ul.com/EL and http://www.ul.com/gg.

Print speeds may vary due to the adaptive printing mechanism to avoid image quality defects.

The colour variation between printed jobs has been measured at 12 pass mode on vinyl media following best practices for tiling layouts and within this limit: 95th percentile of pairwise colour differences (95% of colours) s 1 practices for tiling layouts and within this limit: 95th percentile of pairwise colour differences (95% of colours) s 1 practices for tiling layouts and within this limit: 95th percentile of pairwise colour differences (95% of colours) s 2 practices for the practices























